	Application No.	Applicant(s)
Notice of Allowability	10/661,282	TSENG ET AL.
	Examiner	Art Unit
	Timothy S. Smith	3632
Timothy S. Smith - The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. ☑ This communication is responsive to 12-12-05. 2. ☑ The allowed claim(s) is/are 1-12. 3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of-Biological-Material	6. ☐ Interview Summary Paper No./Mail Da /7. ⊠ Examiner's Amend	te

DETAILED ACTION

Election/Restrictions

Applicant elected Species II, and claims 1-7 reading thereon. Because claim 1 is a generic claim and is allowable, the election of species is withdrawn to at least some of the species. In particular, the election of species is withdrawn to the species reading on claims 8-12 which depend from claim 1. Additionally, the Applicant has withdrawn the traversal of the restriction requirement.

Reasons for Allowance

The following is a statement of reasons for the indication of allowable subject matter.

The prior art fails to teach a positioning unit mounted in said first housing and including a stopper that is disposed adjacent to said rotatable part, and that is movable in said transverse direction relative to said first housing between an engaging position, in which said stopper moves upwardly to engage one of said rotatable part and said second housing when said second housing is positioned at one of said first and second angular positions, thereby preventing rotation of said rotatable part and said second housing about said first axis, and a disengaging position, in which said stopper moves downwardly to disengage from said one of said rotatable part and said second housing, thereby permitting rotation of said second housing and said rotatable part about said first axis.

Application/Control Number: 10/661,282 Page 3

Art Unit: 3632

Examiner's Amendment

The specification has been amended to correct a spelling error on page 11. In particular, on page 11, line 14, "hear" has been changed to –heart–.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy Smith whose telephone number is 571-272-8296. The examiner can normally be reached on M-F: 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Olszewski can be reached on 571-272-6788. The fax number for the organization where this application or proceeding is assigned is 571-273-8300.

Timothy S. Smith

Patent Examiner Art Unit 3632

February 21, 2006